```
Set
        Items
               Description
S1
               WHEEL (W) REVOLUTION (2W) PROPAGATING (W) ALONG
               S2 AND ((TOTAL (3W) DISTANCE) (S) (WHEEL (3N) ROTATION))
S2
            0
               S1 AND ((TOTAL (3W) DISTANCE) (S) (WHEEL (3N) ROTATION))
s3
                S1 AND ((TOTAL (5W) DISTANCE) (S) (WHEEL (5N) ROTATION))
S4
                RAIL AND TRAIN AND ((TOTAL (5W) DISTANCE) (S) (WHEEL (5N) -
S5
            ROTATION))
                SEGMENT AND ((TOTAL (5W) DISTANCE) (S) (WHEEL (5N) ROTATIO-
S6
            N))
            3
                SENSOR AND ((TOTAL (5W) DISTANCE) (S) (WHEEL (5N) ROTATION-
s7
             ))
?
```

5/3/1

DIALOG(R) File 349:PCT FULLTEXT (c) 2005 WIPO/Univentio. All rts. reserv.

01199057 **Image available**

METHOD AND SYSTEM FOR COMPENSATING FOR WHEEL WEAR ON A TRAIN PROCEDE ET SYSTEME DE COMPENSATION DE L'USURE DES ROUES SUR UN TRAIN

Patent Applicant/Assignee:

QUANTUM ENGINEERING INC, 352 Stowe Avenue, Orange Park, FL 32073, US, US (Residence), US (Nationality)

Inventor(s):

KANE Mark Edward, 2653 Holly Point Drive, Orange Park, FL 32073, US, SHOCKLEY James Francis, 3011 Doctors Lake Drive, Orange Park, FL 32073, US,

HICKENLOOPER Harrison Thomas, 179 Buffalo Bluff Road, Palatka, FL 32177, US,

Legal Representative:

KELBER Steven B (et al) (agent), Piper Rundnick, LLP, 1200 Nineteenth Street, N.W., Washington, DC 20036, US,

Patent and Priority Information (Country, Number, Date):

Patent:

WO 200505222 A2-A3 20050120 (WO 0505222)

Application:

WO 2004US20991 20040701 (PCT/WO US04020991)

Priority Application: US 2003609377 20030701

Designated' States:

(All protection types applied unless otherwise stated - for applications 2004+)

AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PL PT RO SE SI SK TR

- (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
- (AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW
- (EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English Fulltext Word Count: 4871

5/3/2

DIALOG(R) File 349:PCT FULLTEXT (c) 2005 WIPO/Univentio. All rts. reserv.

01073100 **Image available**

METHOD AND SYSTEM FOR COMPENSATING FOR WHEEL WEAR ON A TRAIN PROCEDE ET SYSTEME POUR COMPENSER L'USURE D'ESSIEUX MONTES D'UN TRAIN Patent Applicant/Assignee:

QUANTUM ENGINEERING INC, 352 Stowe Avenue, Orange Park, FL 32073, US, US (Residence), US (Nationality)

Inventor(s):

KANE Mark Edward, 2653 Holly Point Drive, Orange Park, FL 32073, US, SHOCKLEY James Francis, 3011 Doctors Lake Drive, Orange Park, FL 32073, US,

HICKENLOOPER Harrison Thomas, Route 3, Box 1830, Palatka, FL 32177, US, Legal Representative:

KELBER Steven B (et al) (agent), Piper Rudnick LLP, 1200 Nineteenth Street, N.W., Washington, DC 20036, US,

Patent and Priority Information (Country, Number, Date):

Patent:

WO 2003102619 A2-A3 20031211 (WO 03102619)

Application:

WO 2003US17212 20030602 (PCT/WO US03017212)

Priority Application: US 2002157874 20020531

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW

(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE SI SK TR

- (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
- (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
- (EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English Filing Language: English Fulltext Word Count: 5476

?

```
1/3/1
            (Item 1 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.
00987638
 Intergrated cab signal rail navigation system
 Integriertes Fuhrerstandsmelde- und Schienennavigationssystem
 Systeme integre de signalisation de cabine et de navigation ferroviaire
PATENT ASSIGNEE:
 WESTINGHOUSE AIR BRAKE COMPANY, (1363620), 1000 Air Brake Avenue,
   Wilmerding, PA 15148, (US), (applicant designated states:
   AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE)
 Kull, Robert C., 17320 Evangeline Lane, Olney, Maryland 20832, (US)
LEGAL REPRESENTATIVE:
  Petri, Stellan (23987), Strom & Gulliksson AB Box 41 88, 203 13 Malmo,
    (SE)
PATENT (CC, No, Kind, Date): EP 893323 A1 990127 (Basic)
                              EP 98108021 980502;
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): US 898373 970722
DESIGNATED STATES: DE; FR; GB; IT
INTERNATIONAL PATENT CLASS: B61L-003/00;
ABSTRACT WORD COUNT: 232
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language
                           Update
                                     Word Count
      CLAIMS A (English) 9904
                                      2004
                (English) 9904
      SPEC A
                                      6686
Total word count - document A
                                      8690
Total word count - document B
Total word count - documents A + B
                                     8690
            (Item 2 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.
00987615
 Rail vision system
 Schienensichtsystem
 Systeme de vision de voie ferree
PATENT ASSIGNEE:
  WESTINGHOUSE AIR BRAKE COMPANY, (1363620), 1000 Air Brake Avenue,
    Wilmerding, PA 15148, (US), (Proprietor designated states: all)
  Kull, Robert C., 17320 Evangeline Lane, Olney, Maryland 20832, (US)
LEGAL REPRESENTATIVE:
  Petri, Stellan et al (23987), Strom & Gulliksson AB Box 41 88, 203 13
    Malmo, (SE)
PATENT (CC, No, Kind, Date):
                              EP 893322 Al
                                              990127 (Basic)
                              EP 893322 B1
                                              021127
APPLICATION (CC, No, Date):
                              EP 98102039 980206;
PRIORITY (CC, No, Date): US 898648 970722
DESIGNATED STATES: DE; FR; GB; IT
INTERNATIONAL PATENT CLASS: B61L-003/00; B61L-029/00
ABSTRACT WORD COUNT: 206
```

NOTE:

Figure number on first page: 1

LANGUAGE (Publication, Procedural, Application): English; English; English FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	199904	2275
CLAIMS B	(English)	200248	900
CLAIMS B	(German)	200248	799
CLAIMS B	(French)	200248	1247
SPEC A	(English)	199904	7553
SPEC B	(English)	200248	7333
Total word coun	t - documen	t A	9830
Total word coun	t - documen	t B	10279
Total word coun	t - documen	ts A + B	20109
?			

SHOW FILES

File 348:EUROPEAN PATENTS 1978-2005/oct W04

(c) 2005 European Patent Office

File 349:PCT FULLTEXT 1979-2005/UB=20051027,UT=20051020

(c) 2005 WIPO/Univentio

7

Set	Items	Description
S1	2	RAIL (W) VISION (W) SYSTEM
S2	0	S1 AND (TOTAL (3W) DISTANCE) AND REVOLUTION
.s3	1	SENSOR AND ((TOTAL (7W) DISTANCE) (S) (WHEEL (5N) REVOLUTI-
	ON	
2		

```
LEGAL REPRESENTATIVE:
  Petri, Stellan (23987), Strom & Gulliksson AB Box 41 88, 203 13 Malmo,
PATENT (CC, No, Kind, Date): EP 893323 A1
                                             990127 (Basic)
APPLICATION (CC, No, Date):
                              EP 98108021 980502;
PRIORITY (CC, No, Date): US 898373 970722
DESIGNATED STATES: DE; FR; GB; IT
INTERNATIONAL PATENT CLASS: B61L-003/00;
ABSTRACT WORD COUNT: 232
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
                           Update
                                     Word Count
Available Text Language
      CLAIMS A (English) 9904
                                       2004
      SPEC A
                (English)
                           9904
                                       6686
                                       8690
Total word count - document A
Total word count - document B
                                          0
Total word count - documents A + B
                                       8690
  1/3/3
            (Item 3 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.
00987615
 Rail vision system
 Schienensichtsystem
 Systeme de vision de voie ferree
PATENT ASSIGNEE:
  WESTINGHOUSE AIR BRAKE COMPANY, (1363620), 1000 Air Brake Avenue,
    Wilmerding, PA 15148, (US), (Proprietor designated states: all)
  Kull, Robert C., 17320 Evangeline Lane, Olney, Maryland 20832, (US)
LEGAL REPRESENTATIVE:
  Petri, Stellan et al (23987), Strom & Gulliksson AB Box 41 88, 203 13
    Malmo, (SE)
PATENT (CC, No, Kind, Date):
                              EP 893322 A1
                                              990127 (Basic)
                               EP 893322
                                         В1
                                              021127
APPLICATION (CC, No, Date):
                              EP 98102039 980206;
PRIORITY (CC, No, Date): US 898648 970722
DESIGNATED STATES: DE; FR; GB; IT
INTERNATIONAL PATENT CLASS: B61L-003/00; B61L-029/00
ABSTRACT WORD COUNT: 206
NOTE:
  Figure number on first page: 1
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
                                      Word Count .
Available Text Language
                           Update
                           199904
                                         2275
      CLAIMS A (English)
      CLAIMS B
                           200248
                                        900
                (English)
      CLAIMS B
                 (German)
                            200248
                                        799
      CLAIMS B
                 (French)
                           200248
                                       1247
      SPEC A
                           199904
                 (English)
                                         7553
                           200248
      SPEC B
                (English)
                                       7333
Total word count - document A
                                       9830
Total word count - document B
                                      10279
                                      20109
Total word count - documents A + B
```

T S1/3/1-3

```
1/3/1
            (Item 1 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.
01070353
 Guidance system for an automated guided-vehicle
 Steuerungssystem fur automatisches Fahrzeug
 Systeme de guidage pour un vehicule automatique
PATENT ASSIGNEE:
  JERVIS B. WEBB INTERNATIONAL COMPANY, (1880542), 34375 West Twelve Mile
    Road, Farmington Hills, Michigan 48331-5624, (US), (Proprietor
    designated states: all)
INVENTOR:
 Alofs, Cornell W., 3622 Pickerel Lake Road, Petoskey, Michigan 49770,
 Drenth, Ronald R., 2713 Harvard Dr., Warrington, Pennsylvania 18976, (US)
LEGAL REPRESENTATIVE:
  Petri, Stellan et al (23987), Strom & Gulliksson AB Box 41 88, 203 13
    Malmo, (SE)
PATENT (CC, No, Kind, Date): EP 942345 A1 990915 (Basic)
                              EP 942345 B1 020502
APPLICATION (CC, No, Date):
                              EP 99103514 990224;
PRIORITY (CC, No, Date): US 38693 980309
DESIGNATED STATES: DE; ES; FI; FR; GB; IT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: G05D-001/12; G05D-001/02; B60L-009/00
ABSTRACT WORD COUNT: 99
NOTE:
  Figure number on first page: 1
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language
                           Update
                                      Word Count
      CLAIMS A (English) 199937
                                          829
      CLAIMS B (English)
                           200218
                                       1238
      CLAIMS B
                           200218
                                       1137
                 (German)
      CLAIMS B
                 (French)
                           200218
                                       1456
      SPEC A
                (English)
                           199937
                                         4079
      SPEC B
                (English) 200218
                                       4080
Total word count - document A
                                       4909
Total word count - document B
                                       7911
Total word count - documents A + B
                                      12820
  1/3/2
            (Item 2 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.
00987638
 Intergrated cab signal rail navigation system
 Integriertes Fuhrerstandsmelde- und Schienennavigationssystem
 Systeme integre de signalisation de cabine et de navigation ferroviaire
PATENT ASSIGNEE:
  WESTINGHOUSE AIR BRAKE COMPANY, (1363620), 1000 Air Brake Avenue,
    Wilmerding, PA 15148, (US), (applicant designated states:
    AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE)
INVENTOR:
  Kull, Robert C., 17320 Evangeline Lane, Olney, Maryland 20832, (US)
```

T S2/3/1-2

```
2/3/1
             (Item 1 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
 (c) 2005 European Patent Office. All rts. reserv.
01448537
 Bicycle shift control device
 Steuerungseinrichtung fur eine Fahrradgangschaltung
 Dispositif de commande de changement de vitesses pour bicyclette
PATENT ASSIGNEE:
  Shimano Inc., (212688), 77 Oimatsu-cho 3-cho, Sakai-shi, Osaka 590-8577,
     (JP), (Applicant designated States: all)
INVENTOR:
  Takebayashi, Haruyuki, 1-12-3, Oihara, Yao-shi, Osaka, (JP)
LEGAL REPRESENTATIVE:
  Cooper, John et al (76421), Murgitroyd & Company 165-169 Scotland Street,
    Glasgow G5 8PL, (GB)
PATENT (CC, No, Kind, Date): EP 1238903 A2
                                               020911 (Basic)
                               EP 1238903 A3
                                               050504
APPLICATION (CC, No, Date):
                               EP 2002251612 020307;
PRIORITY (CC, No, Date): JP 200163500 010307
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: B62M-025/04; B62M-025/08
ABSTRACT WORD COUNT: 74
NOTE:
  Figure number on first page: 6
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language
                            Update
                                      Word Count
      CLAIMS A (English)
                            200237
                                        569
      SPEC A
                 (English)
                            200237
                                       5258
Total word count - document A
                                       5827
Total word count - document B
                                          0
Total word count - documents A + B
                                       5827
  2/3/2
             (Item 2 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
 (c) 2005 European Patent Office. All rts. reserv.
00858964
 Rail navigation system
 Schienennavigationssystem
 Systeme de navigation ferroviaire
PATENT ASSIGNEE:
  WESTINGHOUSE AIR BRAKE COMPANY, (1363620), 1000 Air Brake Avenue,
     Wilmerding, PA 15148, (US), (applicant designated states: DE;FR;GB;IT)
INVENTOR:
  Kull, Robert C., 17320 Evangeline Lane, Olney, Maryland 20832, (US)
  Woodward, Roger P., 7118 Fulton Street, San Francisco, Cal. 94121, (US)
LEGAL REPRESENTATIVE:
  Petri, Stellan et al (23987), Strom & Gulliksson AB Box 41 88, 203 13
    Malmo, (SE)
PATENT (CC, No, Kind, Date): EP 791518 Al 970827 (Basic)
APPLICATION (CC, No, Date):
                               EP 96114693 960913;
PRIORITY (CC, No, Date): US 604032 960220
```

```
DESIGNATED STATES: DE; FR; GB; IT
```

INTERNATIONAL PATENT CLASS: B61L-003/00;

ABSTRACT WORD COUNT: 103

 ${\tt LANGUAGE\ (Publication, Procedural, Application):\ English;\ English;\ English}$

FULLTEXT AVAILABILITY:

FOUNTERI AVAIDADIDITI.				
Available Text	Language	Update	Word Count	
CLAIMS A	(English)	9708W4	. 1552	
SPEC A	(English)	9708W4	3502	
Total word count	- documen	t A	5054	
Total word count	- documen	t B	0	
Total word count	- documen	ts A + B	5054	
`?				